

Date: Wednesday, 9/13/2006 4:34:22 PM  
 User: Kim Johnston

## Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : BLOWER MOTOR SUPPORT
Job Number : 28542	
Estimate Number : 12305	
P.O. Number : N/A	Part Number : D34715
This Issue : 9/13/2006 S.O. No. : N/A	Drawing Number : D3471 REV.A
Prsht Rev. : NC	Project Number : N/A
First Issue : N/A Type : SMALL /MED FAB	Drawing Revision : A
Previous Run : 27455	Material : N/A
Written By : <u>JA 06.09.14</u>	Due Date : 10/5/2006 Qty: <u>664</u> Um: Each
Checked & Approved By : <u>JA 06.09.14</u>	
Comment : est rev A 06.03.02 New issue EC	

## Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description :

1.0

M2024T3S022 06.3

2024-T3 .032 sheet



Comment: Qty.: 0.1040 sf(s)/Unit Total : 0.4158 sf(s)  
 2024-T3 .032 sheet ~~0.0532~~ 8316

2.0

SHEAR

SHEAR



Comment: SHEAR  
 Cut part as per dwg D3471

~~M12758~~ M12758 WOK

FF 06.09.10 4  
~~FF 06.09.10 4~~

3.0

SMALL FAB 1

SMALL &amp; MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1  
 1-Deburr

OK FF 06.09.15 4  
~~FF 06.09.15 4~~

2-Bend as per dwg D3471

4.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

JA 06.10.05 (4)

5.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1  
 Chemical Conversion Coat as per QSI 005 4.1

a.m. 06-10-05 (4)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: Q Date: 06/10/10  
 QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Wednesday, 9/13/2006 4:34:22 PM  
User: Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BLOWER MOTOR SUPPORT

Job Number: 28542

Part Number: D34715

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

*06/10/06* (4)

7.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

*54939*

*06/10/06*

(4)

8.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

*06/10/10* (4)

Job Completion



*Whe 10/10*

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_





QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. <b>D3471</b>	REV. A SHEET 1 OF 5
DATE <b>05.12.21</b>		TITLE <b>BLOWER MOTOR SUPPORT</b>	SCALE 1:6
A	05.12.21	NEW ISSUE	



### D3471-041 BLOWER MOTOR SUPPORT

#### NOTES:

- 1) IDENTIFY WITH DART P/N D3471-041 USING FINE POINT PERMANENT INK MARKER
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

QTY -041	P/N	DESCRIPTION
X	D3471-041	BLOWER MOTOR SUPPORT
2	D3471-043	SUPPORT AND CLAMP ASSEMBLY
1	D3471-1	BASE
8	MS20470AD4-5	RIVET

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN [Signature]	DRAWN BY [Signature]	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. <b>D3471</b>	REV. A SHEET 2 OF 5
DATE <b>05.12.21</b>		TITLE <b>BLOWER MOTOR SUPPORT</b>	SCALE 1:3

06.04.03 [Signature]

LOCATE AND TRANSFER DRILL  
#30 ( $\varnothing 0.129$ ) THRU HOLE FROM  
D3471-3 TO MS35842-16 CLAMP  
AND C'SINK  $\varnothing 0.230 \times 100^\circ$   
(3 PLACES)





**DETAIL A: COUNTERSINK HOLES**  
(RIVET NOT SHOWN FOR CLARITY)  
SCALE 1:1

MS20427M4-4 RIVET  
(3 PLACES)

MS35842-16  
CLAMP

D3471-3  
SUPPORT



SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 28542

### **D3471-043 SUPPORT & CLAMP ASS'Y**

#### **NOTES:**

- 1) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 2) ALL DIMENSIONS ARE IN INCHES
- 3) BREAK ALL SHARP EDGES 0.005 TO 0.010


QTY -043	P/N	DESCRIPTION
X	D3471-043	SUPPORT AND CLAMP ASSEMBLY
1	D3471-3	SUPPORT
3	MS20427M-4	RIVET
1	MS35842-16	CLAMP

**COPYRIGHT © 2005 BY DART AEROSPACE LTD.**


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. <b>D3471</b>	REV. A SHEET 3 OF 5
DATE <b>05.12.21</b>		TITLE <b>BLOWER MOTOR SUPPORT</b>	
		SCALE <b>1:4</b>	



### D3471-1F BASE FLAT PATTERN



### D3471-1 BASE BENDING DETAIL

#### NOTES:

- 1) MATERIAL: 2024-T3 ALUMINUM SHEET (0.063" THICK)  
PER QQ-A-250/4 OR AMS 4037  
(REF. DART SPEC. M2024T3S.063)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) PART IS SYMMETRICAL ABOUT CENTER LINE
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. **28542**

COPYRIGHT © 2005 BY DART AEROSPACE LTD.



THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3471	REV. A
DATE 05.12.21		TITLE BLOWER MOTOR SUPPORT	SCALE 1:2
		SHEET 4 OF 5	



**NOTES:**

- 1) MATERIAL: 2024-T3 ALUMINUM SHEET (0.063 THICK)  
PER AMS-QQ-A-250/4 OR AMS 4037  
(REF. DART SPEC. M2024T3S.063)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) PART IS SYMETRICAL ABOUT CENTER LINE
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. *28542*


COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3471	REV. A SHEET 5 OF 5
DATE 05.12.21		TITLE BLOWER MOTOR SUPPORT	SCALE 1:1

06.04.03 *[Signature]*



**D3471-5F STIFFENER FLAT PATTERN**



**D3471-5 STIFFENER  
BENDING DETAIL**

**D3471-5 STIFFENER**

**NOTES:**

- 1) MATERIAL: 2024-T3 ALUMINUM SHEET (0.032" THICK)  
PER QQ-A-250/4 OR AMS 4037  
(REF. DART SPEC. M2024T3S.032)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. *28542*

**COPYRIGHT © 2005 BY DART AEROSPACE LTD.**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.